WOODStore.net

Browse more than 1,300 woodworking project plans, DVDs, back-issue collections, videos, tool reviews, books, & more.

Thank You!

Thank you for ordering this WOOD® magazine download. We hope you enjoy being part of our online experience and that you have fun expanding your woodworking skills.

Please remember that this copyrighted material is for your use only. It is unlawful to share this file with someone else or to reprint it in any form.

Dave Campbell

Editorial Content Chief, WOOD magazine



Adobe Acrobat Reader Troubleshooting Guide

If you can read this page, your Acrobat Reader program is working correctly! But you may still have problems or specific issues, such as printing and saving your downloadable file.

My printer won't print the text correctly

Almost all printing problems are due to not enough free system resources memory. The files are very memory intensive because they include graphics, text, and photos. Close all other programs/applications and print directly out of the Acrobat Reader program, not your Web browser.

Patterns are not printing full-size

Make sure your printer is set to print at 100 percent, "print to fit" is not checked and "page scaling" is set to "none". These settings are selected in the printer setup or printer options.

I can't find my file now that it's downloaded

Rather than viewing the plan in your browser, you must save it to your hard drive. Download the file again, except this time try right-clicking on the red download button. A menu window will open. Select "Save target as" or "Save link as" to save the file to your hard drive. Once saved, you can open it up with Adobe Acrobat Reader.

For more details on using Adobe Acrobat Reader please visit our online help section at:

woodmagazine.com/adobe

WOOD Store

Customer Favorites

Shop Tools & Accessories



Indoor Furniture



Outdoor Furniture



Mission Furniture




Visit the WOOD Store at:

WOODStore.net



Create a simple yet graceful stand for five votive candles.



Start with the piers

Laminate two $3/4 \times 2^{3}/4 \times 8^{"}$ pieces of stock to make a $1\frac{1}{2}$ "-thick blank for the piers (A). With the glue dry, joint one edge of the blank, and trim it to $2\frac{1}{2}$ " wide. From this blank crosscut two $1\frac{1}{2}\times2\frac{1}{2}\times3$ " pier blanks.

Make four copies of the pier full-size end pattern on *pages 60* and *61*. Using spray adhesive, adhere a pattern to each end of both pier blanks. Align the pattern's centerline with the blanks' glue lines. Use your drill press to drill the ¹/₄" holes ³/₈" deep where indicated on the patterns.

Taper the piers, bandsawing to the waste side of the pattern lines, as shown in the **Shop Tip**, *right*. Sand the sides smooth.

Chuck a chamfer bit in your table-mounted router, and rout the ½" chamfers on the piers' ends, where shown on the pattern and Drawing 1.

Plane a 3/4×2×10" piece of stock to 3/8" thick for the bases (B). Cut the bases to size, and rout 1/8" chamfers on their top edges, where shown on **Drawing 1**.

Sand the piers and bases to 220 grit. Clamp them together with the piers centered on the bases. Drill pilot and countersunk shank holes, where shown, and drive in the screws.

Form the arches

Plane two ¾×2¾×30" pieces of stock to ¾s" thick to make blanks for the arches (C). Stick the blanks together face-to-face with double-faced tape. Make three copies of the pair of arch full-size half patterns on the pattern insert.

Using spray adhesive, adhere one pair of arch patterns to the blanks, joining the pattern halves where indicated. Set the other pattern copies aside. Bandsaw and sand the arches to the pattern lines. We adhered sandpaper to waste pieces cut from the arch blank to make custom-contoured sanding blocks. Separate the two arches.

Cut the remaining two copies of the pair of full-size half patterns along the pattern lines. Adhere them to the inside surfaces of the arches. Drill the 1/4" holes 1/4" deep, where indicated.

With the chamfer bit still in your table-mounted router, rout ½16" chamfers along the outside edges of the arches, where shown on the pattern and **Drawing 1**. Sand the arches to 220 grit.

Now make the rests

Plane a 3/4×21/8×18" board to 3/8" thick for the rests (D). Cut five 3"-long rest blanks. Make five copies of the rest full-size pattern, and adhere the patterns to the blanks.

2 Chuck a ¼" bit in your drill press, and drill centered holes ¾" deep in the blanks' ends. Use your drill-press fence

SHOPTIP

Scrapwood keeps fingers safe

When bandsawing small workpieces such as the piers, attach the blanks to a 2×4 scrap with double-faced tape, as shown in the photo, *right*. Thick cloth-backed tape works best.





and a stopblock to position the rest blanks. Switch to a 17/8" Forstner bit. Lay the blanks flat, reposition the fence and stopblock, and drill the 3/16"-deep recesses, where shown on the pattern.

Bandsaw and sand the rests (D) to their finished shape. Ease the edges of the curved sides with a sanding block. Sand the rests to 220 grit.

Assemble and finish

Cut 14 pieces of 1/4"-diameter dowel ¹√8" long. Dry-assemble the parts, where shown on Drawing 1. Use a straight piece of scrap 18" long to align the rests parallel to each other, as shown in Photo A. We shimmed the inside pair of rests 3/32", the outside pair 7/16". When you are satisfied with the fit and alignment, glue and clamp the parts.

coats of satin polyurethane from an aerosol can, sanding lightly with 220-grit alignmen

Clamp an alignment bar to the center rest. Insert spacers between the bar and the other rests to keep them all parallel.

cutting diagram

materials list

Part	FINI T	SHED:	SIZE	Matl.	Qty.
A* piers	11/8"	21/2"	3"	LW	2
B* bases	3/8"	2"	41/4"	W	2
C* arches	3/8"	2%"	28"	М	2
D* rests	3/8"	21/8"	3"	W	5

*Parts initially cut oversize. See the instructions.

Materials Kev: LW-laminated walnut. W-walnut. M-maple.

Supplies: #6×1" flathead wood screws (4), 1/4"-diameter dowel 12" long, glass votive candle holders (5), votive candles (5), spray adhesive.


Bits: Chamfer router bit, 17/8" Forstner bit.

Candles and holders. Look for votive candles and glass holders at department stores, gift shops, or crafts supply stores.

on bottom face

#6 x 1" F.H.


wood screw




59 www.woodonline.com

No chamfer

1/8" chamfers




REST FULL-SIZE PATTERN (5 needed)




(2 needed)

Join pattern B here. \odot (+)4 1/4" hole 1/4" deep on inside face 1/16" chamfers 2%"

To ensure full-size patterns are correct size, your printer should be set to print at 100% (not fit to page). Measure full-size patterns to verify size.





Visit the WOOD family of helpful Web sites!

WOODStore.net

Browse more than 1,300 woodworking project plans, DVDs, back-issue collections, videos, tool reviews, books, & more.







"Complete Guide" DVD-ROM's



Videos



Back-Issue Collections

WOODmagazine.com/videos

DVDs or downloads





The biggest names in woodworking help you build your skills with affordable videos (up to 2 hours long). Save money by doing the download.

FREE magazine support 24/7



WOOD magazine editors provide videos that enhance the content in the magazine. New videos added regularly.

By woodworkers, for woodworkers



Watch free videos of other woodworkers showing their stuff, from shop tips, to favorite jigs, to... well, just about anything!

Watch a demo before you buy



Don't spend a penny on a tool until you learn how it works. Tool School is like having a free woodworking show on your desktop!

WOODmagazine.com

A wealth of information just a click away.

WOODmagazine.com speaks to woodworkers of all skill levels with

free woodworking plans, helpful forums, hundreds of articles, and more services to help you become a better woodworker.



toolreviews.woodmagazine.com

Everybody's a tool critic. Now it's your turn!

woodworking tools and accessories. You'll find them here, all in one place. While you're there, add reviews about the tools in your shop. Just click to compare specs, prices, and more.

